

Nuttige SSH commando's

Verzameling van verschillende SSH commando's zoals bv grootste folder vinden, rechten instellen enz.

- [Commando's](#)

Commando's

Beschikbare schijfruimte

```
*/10 * * * * du -sh /data/sites/web/damnortabe > /data-  
sites/web/damnortabe/shared/private/usedspace.txt
```

Analytics weekoverzicht email uitsturen

```
0 17 * * sun drush -r "/data/sites/web/damnortabe/current/web" analytics:weeklymail >>  
/data/sites/web/damnortabe/logs/cron.log 2>&1
```

Andere SSH commando's

```
chmod -R 777 web/sites/default  
mv web/sites/default/files production/web/sites/default  
ln -s /data/sites/web/tgeriefbe/production/web /data/sites/web/tgeriefbe/www  
mv -v production/web/sites/default/* production/web/sites/default/files/  
mv shared/web/sites/default/files development/web/sites/default  
chmod u+x vendor/bin/drush  
chmod u+x vendor/drush/drush/drush  
chmod u+x vendor/bin/drupal  
chmod u+x vendor/drupal/console/bin/drupal  
ssh ssangyongbe@ssh038.webhosting.be test -f  
/data/sites/web/ssangyongbe/tmp/.phppreload_secret && echo "YES file exists" || echo "NO file  
does not exist"
```

(laatste lijn uit bestand tonen op scherm)

```
tail -n 1 error.log
```

grootste folders vinden via ssh

```
du -a projects/ | sort -n -r | head -n 20  
du -Sh | sort -rh | head -5  
du -hs * | sort -rh | head -5  
du -a webform | sort -n -r | head -n 5
```

Drupal file en folder rechten instellen

- folder sites/default/files: 755
- alle folders binnenin sites/default/files: 755
- alle files binnenin sites/default/files: 644
- .htaccess in sites/default/files: 755

```
cd development/web/sites
find . -type d -name files -exec chmod 0755 {} \;
for x in ./*/files; do
    find ${x} -type d -exec chmod 0755 {} \;
    find ${x} -type f -exec chmod 0644 {} \;
    find ${x} -type f -name ".htaccess" -exec chmod 0755 {} \;
done
chmod 755 sites/default/files
chmod 644 sites/default/settings.php
chmod 644 sites/default/settings.local.php
chmod g+r,g+w private
```

TMP folder (zie admin/config/media/file-system)

```
ls -l
chown www-data -R /data/sites/web/ssangyongbe/tmp
chmod 755 -R /data/sites/web/ssangyongbe/tmp

cd /data/sites/web/ssangyongbe
chown ssangyongbe -R tmp
chmod 755 -R tmp
```

Combell www symlink aanpassen

- Ga naar root die www folder bevat, bv: /data/sites/web/maxusmotorsde
- Als www een folder is: `rm -rf /data/sites/web/maxusmotorsde/www`
- Als www reeds een symlink is: `rm /data/sites/web/maxusmotorsde/www`
- Dan nieuwe symlink aanmaken: `ln -s /data/sites/web/maxusmotorsde/production/web /data/sites/web/maxusmotorsde/www`
- test symlink: `ls -al`

Site local drush gebruiken op (combell) hosting

```
drush --version
-> geeft nu bv: 8.1.17
rm vendor/bin/drush
-> dan is file MET symlink weg
-> manueel de file terug uploaden
```

```
chmod u+x vendor/bin/drush
```

```
drush --version
```

```
-> geeft nu bv: 9.7.2
```